



≠û ± ãû ì ≤Tû - 03.01.2025û ρæðû II

# iBiotec®

## DÉCAP

### STRIP VG

≤ρIIðÆYû yðr ≤II} I£ û Y P Σρ ρ ≠ ρ

{æð Jð æπ ± Áπ II}™ NEP Σρ NMP ± ø± æ IIû ρð æπâ II ≥ üð ñ Næ™æ± Iæð Á ≠ ø± æ ì ð IIðøS  
 † II° π ± ° ρ - YρúTY æπ  
 æμ ζz øρIæ≠øIIâ IIæμ ζæρ II ΣIIæð II ≠ II û ≤ II, Iϕ ±, a ρæx û ú ≠ CζæG ≠ ρII ρ

π yÁª™ª € ζæπ yðr ≤ II



अवशषिट कीटनाशकों से मुक्तकी गारंटी  
 GMO- फरी

III° Q μ æû ì Σ ≠ Ap II æ ρ Σ Yû † I ∞ ð x

† I ∞ ð x	ð ρ û	ð ñ Σ	{û ρ Σ ü I
z III μ ρx	II Σ	æ ρ Y	-
II I	II Σ	≤ ρ ρ	-
† ° ∞	Ñ ρ æ Y Ioc	II ϕ ± ζ	-
25°C ≤ II° ± ≠ ρ	NF EN ISO 12185	978	kg/m³



